



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED DEC. 16, 1911.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.														
Baltimore, Md.	558,485	214	22	1	12		37				32	28	22	
Boston, Mass.	670,585	230	46	4	65	1	28				62	27	10	2
Chicago, Ill.	2,185,283	615	158	19	75	1	104	1			185	76	30	7
Cleveland, Ohio.	560,663	149	38	6	17	1	35	3			28	20	6	
New York, N. Y.	4,766,883	1,402	237	14	406	11	225	9			463	152	105	13
Philadelphia, Pa.	1,549,008	520	84	7	14	3	46	3			90	61	19	7
Pittsburgh, Pa.	533,905	175	26	4	14		25		1		16	14	14	5
St. Louis, Mo.	687,029	205	20	1	11		17		1		48	19	6	1
Cities having from 300,000 to 500,000 inhabitants.														
Buffalo, N. Y.	423,715	140	24	1	19		18	1			12	12	12	
Cincinnati, Ohio.	364,463	128	8		4		30	1	5		25	13	1	
Milwaukee, Wis.	373,857	69	12		28		34				14	5	14	
Newark, N. J.	347,469	115	38	2		1	21				27	16	6	2
New Orleans, La.	339,075	155	11	1	1		17				35	14	4	1
San Francisco, Cal.	416,912	163	4		129		10				32	19	5	1
Washington, D. C.	331,069	121	8		3		2				23		11	5
Cities having from 200,000 to 300,000 inhabitants.														
Denver, Colo.	213,381	77	22	3	4		6		5			11		
Jersey City, N. J.	267,779	89		1								14		
Providence, R. I.	224,326	71	21	1	18		6		3			2	2	
Cities having from 100,000 to 200,000 inhabitants.														
Bridgeport, Conn.	102,054	24	6				3				4	6		
Cambridge, Mass.	104,839	27	7		2		2				4	3		
Dayton, Ohio.	116,577	29	3								1	1	1	
Fall River, Mass.	119,295	19	3	1							4	3		
Grand Rapids, Mich.	112,571	30	4		1		5				6		4	
Lowell, Mass.	106,294	38	9	1	30	2	11				2	6	1	1
Nashville, Tenn.	110,364	42	1				4				3	4	6	
Omaha, Nebr.	124,096	27	5				4				1	1		
Toledo, Ohio.	168,497	44	7	1	1		10				24	4	5	2
Worcester, Mass.	145,986	40	3	1	1		16				6	2	1	
Cities having from 50,000 to 100,000 inhabitants.														
Altoona, Pa.	52,127	8	2				2				1	2	1	
Bayonne, N. J.	55,545		7	1	3		6				1	1		
Brockton, Mass.	56,878	19			13						2			1
Camden, N. J.	94,538	7	4				2				1			
Duluth, Minn.	78,466	15					1	3			2	1	2	1
Elizabeth, N. J.	73,409	11	1		4		2	1			2	2	2	
Erie, Pa.	66,525	18	8		1		3				1	3	1	1
Evansville, Ind.	69,647	11	3		1		1				3	7	1	
Harrisburg, Pa.	64,186	20	14	1	1						3	4	1	
Hartford, Conn.	98,915	35	8		3		10				1	1	2	1
Hoboken, N. J.	70,324	6					1				5			
Houston, Tex.	78,800	35	1	1			2							1
Johnstown, Pa.	55,482	18	4				8	1			6	1		
Kansas City, Kans.	82,331		4								2		1	
Lawrence, Mass.	85,892	19	6				2				3	3	4	
Manchester, N. H.	70,063	20	6		13		1		2		3	3	1	
New Bedford, Mass.	96,652	23	3		3		4				10		3	2
Oklahoma City, Okla.	64,205	15	2				5				2	2	3	
Passaic, N. J.	54,773	15	1		1							1		
Pawtucket, R. I.	51,622											1		
Portland, Me.	58,571	29	1				6					1	2	1
Reading, Pa.	96,071	25	3		1		7					1	2	1
San Antonio, Tex.	96,614	29	3		1		7					8	1	1
Schenectady, N. Y.	72,826	17	2		3		2				4	1		
Springfield, Ill.	51,678	16	2				1					3		
Springfield, Mass.	88,926	24	2		23	1	8				4	1	2	

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Dec. 16, 1911—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 inhabitants - Continued.														
Terre Haute, Ind.	58,157	6	1	1	2
Trenton, N. J.	96,815	32	4	1	2	1	12	1
Wilkes-Barre, Pa.	67,105	28	5	77	3	5	1	1
Wilmington, Del.	87,411	26	5	1
Yonkers, N. Y.	79,803	20	4	6	26	7	3
Cities having from 25,000 to 50,000 inhabitants.														
Atlantic City, N. J.	46,150	10	2	2
Aurora, Ill.	29,807	5	2
Berkeley, Cal.	40,434	10	2	1
Binghamton, N. Y.	48,443	22	1	1	2
Brookline, Mass.	27,792	9	2
Butte, Mont.	39,165	23	1	1	3
Chattanooga, Tenn.	44,604	2	3
Chelsea, Mass.	32,452	7	1	2
Chicopee, Mass.	25,401	3	1	1	2	1
Danville, Ill.	27,871	4	6	1	3
Dubuque, Iowa.	38,494	6	3	1
East Orange, N. J.	34,371	9	2
Elmira, N. Y.	37,176	11	1
El Paso, Tex.	39,279	22	1	1	6	4	1
Everett, Mass.	33,484	3	2	1	3	2
Haverhill, Mass.	44,115	12	3	3	5	1
Kalamazoo, Mich.	39,437	14	1	1
Knoxville, Tenn.	36,346	11	1	1	1
La Crosse, Wis.	30,417	8	4	1	1	2	1	1
Lancaster, Pa.	47,227	6	2	1
Lima, Ohio.	30,508	1	1	2
Lynchburg, Va.	29,494	8	4	4	4	2
Malden, Mass.	44,404	12	1	5
Mount Vernon, N. Y.	30,919	18
New Castle, Pa.	36,280	14	2	1	17
Newport, Ky.	30,309	6	1	1	1
Newton, Mass.	39,806	6	1	4	1	1	1
Niagara Falls, N. Y.	30,445	18	3	2	1	8
Norristown, Pa.	27,875	11	4	2
Orange, N. J.	29,630	9	3	1	1	2	1
Pittsfield, Mass.	32,121	10	4	3	3
Portsmouth, Va.	33,190	13	2	1	1	1
Racine, Wis.	38,002	1	2
Roanoke, Va.	34,874	16	11	2	7	2	1	3	4
Rockford, Ill.	45,401	20	12	1	9
Salem, Mass.	43,697	8	1	2	1
San Diego, Cal.	39,578	2	1	2	2
South Omaha, Nebr.	26,259	6	1	1	1
Superior, Wis.	40,384	12	6	1	8
Taunton, Mass.	34,259	15	5	1
Waltham, Mass.	27,834	10	2	2	1
West Hoboken, N. J.	35,403	1	1	3	1
Wheeling, W. Va.	41,641	10	6	3	1
York, Pa.	44,750	3	1	5	2
Zanesville, Ohio.	28,026	5	5	8	3	1	18
Cities having less than 25,000 inhabitants.														
Ann Arbor, Mich.	14,817	8	1	2
Beaver Falls, Pa.	12,491	2	3	3
Braddock, Pa.	19,957	5	6
Butler, Pa.	20,782	9	1	1
Cambridge, Ohio.	11,327	4	1	1
Camden, S. C.	2
Carbondale, Pa.	17,040	7	2
Clinton, Mass.	13,075	5	1
Coffeyville, Kans.	12,687	1	1
Columbus, Ind.	2	1	2	1

¹ Incomplete.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Dec. 16, 1911—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small pox.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having less than 25,000 inhabitants—Con.														
Concord, N. H.	21,497	14										4		
Cumberland, Md.	21,839	12	3										13	1
Galesburg, Ill.	20,089	11	3				1		1					
Greensboro, N. C.	15,895	8					3				1	1	1	1
Harrison, N. J.	14,498	3	2								1	1		
Homestead, Pa.	18,713	5	8	1										
Hyde Park, Mass.	15,507	5					1							
La Fayette, Ind.	12,081	8	1								1			
Lebanon, Pa.	19,240		4											
Marinette, Wis.	14,610	1			9								2	
Marlboro, Mass.	14,479	5	1								1			
Massillon, Ohio.	13,879	2	1				1							
Medford, Mass.	23,150	1	1		1		1				1			
Melrose, Mass.	15,715	2					1							
Moline, Ill.	24,199	5			1						1	1	2	
Montclair, N. J.	21,150	1	1				2				2		1	
Morristown, N. J.	12,507	4												
Nanticoke, Pa.	18,857	2			19									
Newburyport, Mass.	19,940	4	3	1	1						4		1	
North Adams, Mass.	22,019	8										1		
Northampton, Mass.	19,431	7	1								1	1		
Ottumwa, Iowa.	22,012	6												
Peekskill, N. Y.		8	1				1					1		
Plainfield, N. J.	20,550	4									1			
Pottstown, Pa.		2												
Saratoga Springs, N. Y.		5												1
South Bethlehem, Pa.	19,973	2			8								2	
Steelton, Pa.	14,246	2	10						3		3			
Wilksburg, Pa.	18,924	5	3		1		7				1	1		

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).

FLORIDA.—Reports from the State board of health show as follows: Week ended December 9, 1911. Diphtheria present in 4 localities with 10 cases, malaria in 4 localities with 11 cases, smallpox in 3 counties with 47 cases, tuberculosis in 6 localities with 8 cases, typhoid fever in 5 localities with 9 cases.

Week ended December 16, 1911. Diphtheria present in 3 localities with 6 cases, malaria in 5 localities with 13 cases, tuberculosis in 7 localities with 12 cases, typhoid fever in 10 localities with 13 cases.

INDIANA.—Month of October, 1911. Population, 2,700,876. Total number of deaths from all causes 2,674, including diphtheria 68, measles 1, scarlet fever 7, tuberculosis 285, typhoid fever 91. Cases reported: Diphtheria 2,437 in 69 counties, smallpox 13 in 5 counties, tuberculosis 285, typhoid fever 642 in 72 counties.

MICHIGAN.—Month of November, 1911. Population, 2,810,873. Cases of communicable diseases reported: Diphtheria 439, measles 87, scarlet fever 380, smallpox 13, tuberculosis 113, typhoid fever 182.